

MTS PIPES AND TUBES Pvt. Ltd.

Sizes & Weights of Seamless Pipes As Per ASTM A 106/53 Gr.A/B available with us ex-stock

Nominal Bore	Outside Diameter		Wall Thickness	Schedule	Class	Weight [KG]	
	Inch	MM				Per Meter	Per Foot
1/8	0.405	10.30	1.7	40	Std	0.36	0.11
		10.30	2.4	80	xs	0.47	0.14
1/4	0.54	13.70	2.2	40	Std	0.62	0.19
		13.70	3.0	80	xs	0.79	0.24
3/8	0.675	17.10	2.3	40	Std	0.84	0.26
		17.10	3.2	80	xs	1.10	0.33
1/2	0.84	21.30	2.87	40	Std	1.30	0.40
		21.30	3.73	80	xs	1.62	0.49
		21.30	4.78	160	-	1.95	0.59
		21.30	7.50	-	xxs	2.55	0.78
3/4	1.05	26.70	2.87	40	Std	1.69	0.51
		26.70	3.91	80	xs	2.20	0.67
		26.70	5.56	160	-	2.90	0.88
		26.70	7.80	-	xxs	3.64	1.11
1	1.315	33.40	3.38	40	Std	2.50	0.76
		33.40	4.55	80	xs	3.24	0.98
		33.40	6.35	160	-	4.24	1.29
		33.40	9.10	-	xxs	5.45	1.66
1.1/4	1.66	42.20	3.56	40	Std	3.39	1.03
		42.20	4.85	80	xs	4.47	1.36
		42.20	6.35	160	-	5.61	1.71
		42.20	9.70	-	xxs	7.77	2.36
1.1/2	1.9	48.30	3.68	40	Std	4.05	1.23
		48.30	5.08	80	xs	5.41	1.65
		48.30	7.14	160	-	7.25	2.20
		48.30	10.20	-	xxs	9.58	2.91
2	2.375	60.30	3.91	40	Std	5.44	1.65
		60.30	5.54	80	xs	7.48	2.28
		60.30	8.74	160	-	11.11	3.38
		60.30	11.10	-	xxs	13.47	4.10
2.1/2	2.875	73.00	5.16	40	Std	8.63	2.63
		73.00	7.01	80	xs	11.41	3.47
		73.00	9.53	160	-	14.92	4.54
		73.00	14.00	-	xxs	20.37	6.20
3	3.5	88.90	4.80	-	-	9.95	3.03
		88.90	5.49	40	Std	11.29	3.43
		88.90	7.62	80	xs	15.27	4.65
		88.90	11.13	160	-	21.35	6.49
		88.90	15.20	-	xxs	27.63	8.40
3.1/2	4	101.60	4.80	-	-	11.46	3.48
		101.60	5.74	40	Std	13.57	4.13
		101.60	8.08	80	xs	18.63	5.67
4	4.5	114.30	4.00	-	-	10.88	3.31
		114.30	4.80	-	-	12.96	3.94

**Sizes & Weights of Seamless Pipes As Per
ASTM A 106/53 Gr.A/B available with us ex-stock**

<u>Nominal Bore</u> Inch	<u>Outside Diameter</u>		<u>Wall Thickness</u>	<u>Schedule</u>	<u>Class</u>	<u>Weight [KG]</u>	
	Inch	MM	MM	-	-	Per Meter	Per Foot
		114.30	5.60	-	-	15.01	4.57
		114.30	6.02	40	std	16.07	4.89
		114.30	8.56	80	xs	22.32	6.79
		114.30	11.13	120	-	28.32	8.61
		114.30	13.49	160	-	33.54	10.20
		114.30	17.70	-	xxs	42.16	12.82
<hr/>							
5	5.563	141.30	6.55	40	Std	21.77	6.62
		141.30	9.53	80	xs	30.97	9.42
		141.30	12.70	120	-	40.28	12.25
		141.30	15.90	160	-	49.17	14.95
		141.30	19.00	-	xxs	57.30	17.43
<hr/>							
6	6.625	168.30	7.11	40	Std	28.26	8.60
		168.30	9.53	60	xs	37.31	11.35
		168.30	10.97	80	-	42.56	12.94
		168.30	14.27	120	-	54.20	16.49
		168.30	18.26	160	-	67.56	20.55
		168.30	21.90	-	xxs	79.06	24.05
<hr/>							
8	8.625	219.10	6.35	20	-	33.31	10.13
		219.10	7.04	30	-	36.81	11.20
		219.10	8.18	40	Std	42.55	12.94
		219.10	10.31	60	-	53.08	16.14
		219.10	12.70	80	xs	64.64	19.66
		219.10	15.09	100	-	75.92	23.09
		219.10	18.26	120	-	90.44	27.51
		219.10	20.62	140	-	100.92	30.69
		219.10	23.01	-	xxs	111.27	33.84
		219.10	23.00	160	-	111.22	33.83
<hr/>							
10	10.75	273.10	6.35	20	-	41.77	12.70
		273.10	7.10	-	-	46.57	14.16
		273.10	7.80	30	-	51.03	15.52
		273.10	9.27	40	Std	60.31	18.34
		273.10	12.70	60	-	81.55	24.80
		273.10	15.09	80	xs	96.01	29.20
		273.10	18.26	100	-	114.75	34.90
		273.10	21.44	120	xxs	133.06	40.47
		273.10	25.40	140	-	155.15	47.19
		273.10	28.58	160	-	172.33	52.41
<hr/>							
12	12.75	323.80	6.40	20	-	50.09	15.24
		323.80	8.38	30	-	65.18	19.82
		323.80	9.53	-	Std	73.86	22.46
		323.80	10.31	40	-	79.70	24.24
		323.80	12.70	-	xs	97.43	29.63
		323.80	14.27	60	-	108.92	33.13
		323.80	17.48	80	-	132.04	40.16
		323.80	21.44	100	-	159.86	48.62
		323.80	25.40	120	xxs	186.91	56.85
		323.80	28.58	140	-	208.07	63.28
		323.80	33.32	160	-	238.68	72.59
<hr/>							
14	14	355.60	6.40	10	-	55.11	16.76
		355.60	7.90	20	-	67.74	20.60
		355.60	9.53	30	Std	81.33	24.74
		355.60	11.13	40	-	94.55	28.75
		355.60	12.70	-	xs	107.39	32.66
		355.60	15.09	60	-	126.71	38.54
		355.60	19.05	80	-	158.10	48.08

**Sizes & Weights of Seamless Pipes As Per
ASTM A 106/53 Gr.A/B available with us ex-stock**

<u>Nominal Bore</u> Inch	<u>Outside Diameter</u>		<u>Wall Thickness</u>	<u>Schedule</u>	<u>Class</u>	<u>Weight [KG]</u>	
	Inch	MM	MM	-	-	Per Meter	Per Foot
		355.60	23.83	100	-	194.96	59.30
		355.60	27.79	120	-	224.65	68.32
		355.60	31.75	140	-	253.56	77.12
		355.60	35.71	160	-	281.70	85.67
<hr/>							
16	16	406.40	6.4	10	-	63.13	19.20
		406.40	7.9	20	-	77.63	23.61
		406.40	9.5	30	Std	92.98	28.28
		406.40	12.7	40	xs	123.30	37.50
		406.40	16.7	60	-	160.49	48.81
		406.40	21.4	80	-	203.17	61.79
		406.40	26.2	100	-	245.64	74.71
		406.40	31.0	120	-	286.98	87.28
		406.40	36.5	140	-	332.94	101.26
		406.40	40.5	160	-	365.44	111.14
<hr/>							
18	18	457.20	6.4	10	-	71.15	21.64
		457.20	7.9	20	-	87.53	26.62
		457.20	9.5	-	Std	104.88	31.90
		457.20	11.1	30	xs	122.11	37.14
		457.20	12.7	40	-	139.21	42.34
		457.20	14.3	-	-	156.18	47.50
		457.20	19.0	60	-	205.31	62.44
		457.20	23.8	80	-	254.37	77.36
		457.20	29.4	100	-	310.16	94.33
		457.20	34.9	120	-	363.45	110.54
		457.20	39.7	140	-	408.73	124.31
		457.20	45.2	160	-	459.23	139.67
<hr/>							
20	20	508.00	6.4	10	-	79.16	24.08
		508.00	9.5	20	Std	116.78	35.52
		508.00	12.7	30	xs	155.12	47.18
		508.00	15.1	40	-	183.54	55.82
		508.00	20.6	60	-	247.60	75.30
		508.00	26.2	80	-	311.29	94.67
		508.00	32.5	100	-	381.09	115.90
		508.00	38.1	120	-	441.49	134.27
		508.00	44.4	140	-	507.60	154.38
		508.00	50.0	160	-	564.71	171.75
<hr/>							
24	24	609.60	6.4	10	-	95.20	28.95
		609.60	9.5	20	Std	140.59	42.76
		609.60	12.7	-	xs	186.94	56.85
		609.60	14.3	30	-	209.93	63.85
		609.60	17.5	40	-	255.52	77.71
		609.60	23.8	-	-	343.81	104.57
		609.60	24.6	60	-	354.88	107.93
		609.60	31.0	80	-	442.32	134.52
		609.60	38.9	100	-	547.46	166.50
		609.60	46.0	120	-	639.33	194.44
		609.60	52.4	140	-	720.00	218.98
		609.60	59.5	160	-	807.15	245.48